



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET3253C

HOLDER OF CERTIFICATE: DS Smith Packaging Sweden AB

MANUFACTURER:

DS Smith Packaging Sweden AB, Bangårdsgatan 2-4, SE-331 26 Värnamo, SWEDEN

MARKING ON PACKAGING:

G 4G/Y10/S/YR/N/NET3253C - ID

"YR" to be replaced with the two last digits of the year. "ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Material
4G	Fibreboard box, 0427	Details in report



DIMENSIONS:

Volume, litre	Lenght, mm	Width, mm	Heigth, mm
62.7	1154	382	142

CLOSING MECHANISM:

Closure type	Producer / Identification	Material
Tape 50 mm	Double adhesive	-



APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions. The content may not adversely affect the packaging material.

Content	Max. gross weight, kg	Packaging group	Drawing
Solid	10.0	II and III	V27774

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET3253A	18.11.2013	NET	Type approval
NET3253A-2	05.12.2013	NET	Type approval
NET32TE40	16.09.2020	NET	Technical evaluation

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.





INTERNATIONAL CERTIFICATE

BREVIK, NORWAY

01.09.2020 CERTIFICATE IS VALID UNTIL:

30.09.2025

laci M. Johan

Geir Morten Johansen Certification Officer

Rune Madsen Fink Control Officer

Nordisk Emballasje Testing AS Certification

