



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET3246C

HOLDER OF CERTIFICATE:
DS Smith Packaging Sweden AB

MANUFACTURER: DS Smith Packaging Sweden AB, Bangårdsgatan 2-4, SE-331 26
Värnamo, SWEDEN

MARKING ON PACKAGING:  **4G/ZKG/S/YR/N/NET3246C - ID**


"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

"KG" shall be replaced with maximum gross weight according to page 2.

PRODUCT:

Packaging code	Description	Material
4G	Fibreboard boxes, design 0201	Details in report



DIMENSIONS:

#: Drawings	Height, mm	Width, mm	Length, mm	Volume, l
1: M87182	290	800	1200	278
2: M85934	290	785	1185	270
3: M87709	290	400	800	93

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material
Tape, 50 mm, long side	Eurocol	art. no 75003016	Glass-fibre reinforced
Double tape, 50 mm at the short sides	Eurocol	art. no 75003016	Glass-fibre reinforced

INNER PACKAGING:

Type	Description	Drawing	Material	Producer
Bottle	60 ml, approx. 54 g	Flacon E.D. 77600	Borosilicat-glass	SGD, Mers-Les-Bains, France
Box	Covering each bottle	-	Fibreboard	-

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group III containing liquid substances in inner packagings that do not adversely affect the packaging materials. The inner packagings have been tested at 95 kPa according to regulations by air (IATA-DGR and ICAO-TI).

#: Content	Max. gross weight, kg
1: Liquids in inner packagings	80
2: Liquids in inner packagings	80
3: Liquids in inner packagings	27

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
P906153	13.10.2009	SP	Type approval
PX01814	18.03.2010	SP	Type approval
NET32TE02	22.09.2011	NET	Technical evaluation
NET32TE05	27.05.2013	NET	Technical evaluation
NET32TE44	17.09.2020	NET	Technical evaluation

TEST STANDARD:

All tests performed by NET, are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



PORSGRUNN, NORWAY

02.09.2020 CERTIFICATE IS VALID UNTIL:**30.09.2025**

Geir Morten Johansen
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification