



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET3223C

HOLDER OF CERTIFICATE:
DS Smith Packaging Sweden AB

MANUFACTURER:

DS Smith Packaging Sweden AB, Bangårdsgatan 2-4, SE-331 26
Värnamo, SWEDEN

MARKING ON PACKAGING:

 **4GV/X13/S/YR/N/NET3223C - ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Material
4GV Fibreboard boxes	FEFCO 0225, special packaging conforming to the requirements of 6.1.5.1.7	Details in test report



DIMENSIONS:

Volume, litre	Lenght, mm	Width, mm	Heigth, mm
38.3	338	270	420

CLOSING MECHANISM:

Closure type	Producer	Description	Material
Taped	Eurocol Tape AB	50 mm; art no. 75003016	Glass-fibre reinforced

INNER PACKAGING:

Type	Material	Dimensions
Plastic bag with optional inner packaging (ADR 6.1.5.1.7)	EBA	0.12 mm

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

UN Recommendations on the Transport of Dangerous Goods.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions. The packaging is valid for packaging group I, II and III, but not permitted for explosives.

Content	Max. gross weight, kg	Min. distance between inner packing, mm	Min. distance between inner packing and packaging wall, mm
Liquids in inner packagings packed in plastic bag filled with vermiculite	13.0	30	20
Articles or inner packagings of any type for solids	13.0	30	20

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
P401592-38	27.08.2004	SP	Type testing
NET32TE40	16.09.2020	NET	Technical evaluation

TEST STANDARD:

All tests performed by NET, are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



BREVIK, NORGE

07.09.2020 CERTIFICATE IS VALID UNTIL:

30.09.2025

A handwritten signature in blue ink, reading 'Geir M. Johansen'.

Geir Morten Johansen
Certification Officer

A handwritten signature in blue ink, reading 'Rune Madsen Fink'.

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification

A large, faint, light blue background logo in the center of the page, resembling a stylized umbrella or a shield with a cross-like shape in the middle.