




**PRODUCT APPROVAL OF PACKAGING  
FOR TRANSPORTATION OF DANGEROUS GOODS  
CERTIFICATE NO.: NET3257C**


HOLDER OF CERTIFICATE:  
**DS Smith Packaging Sweden AB**

**MANUFACTURER:** DS Smith Packaging Sweden AB, Bangårdsgatan 2-4, SE-331 26 Värnamo, SWEDEN

**MARKING ON PACKAGING:**  **4G/Y35/S/YR/N/NET3257C- ID**  
"YR" to be replaced with the two last digits of the year.  
"ID" to be replaced by any identification as decided by the manufacturer.

**PRODUCT:**

Packaging code	Description	Drawings	Material
4G	Fibreboard boxes, design 0201	KD06156	Details in report



**DIMENSIONS:**

Volume, l	Length, mm	Width, mm	Height, mm
300.0	785	585	690

**CLOSING MECHANISM:**

Closure type	Material
Tape 50 mm	Glass Fibre Reinforced

**INNER PACKAGING:**

Type	Producer	Drawing	Material	Dimensions, mm
Plastic bag	Alfapack AB	T508-0.07-150812	LDPE	1700*850*0.1

**APPROVAL:**

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

**REGULATIONS BASED UPON FOR APPROVAL:**

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

**APPROVAL IS VALID FOR:**

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction. The content shall not adversely affect the packaging material.

For UN 1950 waste aerosols carried in accordance with special provision 327, the packagings shall have a means of retaining any free liquid that might escape during carriage, e.g. absorbent material. The packagings shall be adequately ventilated to prevent the creation of flammable atmosphere and the build-up of pressure.

Content	Max. gross weight, kg
UN 1950, Aerosols	35

**DOCUMENTS BASED UPON FOR APPROVAL:**

Report id.	Date	Issued by	Scope
NET3257A	29.10.15	NET	Type approval
NET32TE40	16.09.2020	NET	Technical evaluation

**TEST STANDARD:**

All tests performed by NET, are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



BREVIK, NORGE

03.09.2020 CERTIFICATE IS VALID UNTIL:

30.09.2025

A handwritten signature in blue ink, reading 'Geir M. Johansen'.

Geir Morten Johansen  
Certification Officer

A handwritten signature in blue ink, reading 'Rune Madsen Fink'.

Rune Madsen Fink  
Control Officer

*Nordisk Emballasje Testing AS Certification*

A large, faint watermark logo in the background, consisting of a stylized white cross or shield shape with rounded ends, set against a light blue circular background.