



**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET6101A**

HOLDER OF CERTIFICATE:

San Sac AB

MANUFACTURER: San Sac AB, Box 423, SE-581 04 Linköping, Sweden

MARKING ON PACKAGING:  **50H/Y/MMYY/N/NET6101A - ID/KG1/KG2**

"MMYY" to be replaced with the month and year (last two digits) of manufacture.

"ID" to be replaced by the name or symbol of the manufacturer.

"KG1" to be replaced by Stacking load from table on page 2.

"KG2" to be replaced by Max. gross weight from table on page 2.

The packaging shall also be appropriately marked in accordance with ADR 6.6.3.3 (Label with max stacking load)

PRODUCT:

#: Packaging code	Description	Drawings	Material
1: 50H	Plastics large packaging	BBG 1208 K	Sabic M80063S
2: 50H	Plastics large packaging	BBG 1210 K	Sabic M80063S



DIMENSIONS:

#: Packaging weight, Kg	Volume, l	Height, mm	Width, mm	Length, mm
1: 45	535	827	800	1200
2: 51	670	827	1000	1200

CLOSING MECHANISM:

Closure type	Description	Drawings	Material
Plastic lid	Injection moulded	BBG 1208 K / -1210 K	Sabic M80063S
Lock	Lever locking in front	8045-13 or 8045-03	Steel
Hinges	Two hinges on the back	8045-11 and 8045-10 or 8045-00 and 8045-01	Steel

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Permeability test has been carried out according to ADR 6.1.5.7. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Stacking load, kg	Max. gross weight, kg	Packaging group	#: Packaging
F.ex waste batteries and aerosols	1150	565	II and III	1
F.ex waste batteries and aerosols	1500	720	II and III	2

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET6101A	26.05.2011	NET	Type approval
NET61TE01	19.04.2013	NET	Technical evaluation
NET61TE02	17.09.2015	NET	Technical evaluation

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.

BREVIK, NORWAY

19.03.2020 CERTIFICATE IS VALID UNTIL:

31.03.2025



Geir Morten Johansen
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification

