




**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET6706A**

HOLDER OF CERTIFICATE:
Emballator Ulricehamns Bleck AB

MANUFACTURER:

Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52321
Ulricehamn, Sweden
Emballator UK Ltd, Unit 1, City Link Industrial Estate, Phoenix Way,
Bradford BD4 8JP, United Kingdom

MARKING ON PACKAGING:

 **1A2/Y2.0 Z3.0/100/YR/N/NET6706A - ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Material
1A2, steel drums, removable head	UN-pail 285 mm with two beads.	Steel sheet TS 275




DIMENSIONS:

#: Volume, l	Height, mm	Diameter, mm	Head / Body / Bottom, mm	Drawing
1: 10	225	285	0.49 / 0.38 / 0.38	6605-02
2: 12	238	285	0.49 / 0.38 / 0.38	6607-02
3: 15	295	285	0.49 / 0.38 / 0.38	6631-02
4: 20	372 / 388	285	0.49 / 0.38 / 0.38	6611-02 / 6627-03

CLOSING MECHANISM:

#: Lug lid	Drawings	Material	Gasket
1: Plain	66202-02	Steel sheet TS 245	PVC compound
2: With plastic closure S2, side / centre, sealed or with torque 2 Nm	66107-02 / 100624	Steel sheet TS 245	PVC compound
3: With plastic closure HZ655, side / centre, sealed	66200-02	Steel sheet TS 245	PVC compound
4: Plastic closure S2 and HZB	EUB-10418	Steel sheet TS 245	PVC compound



APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content	Max. relative density	Max. vapour pressure, kPa at +50°C	Packaging group
Liquids	2.0	114	II
Liquids	3.0	114	III

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
92M12023	27.08.1992	SP	Type approval
97H60374B	17.07.1997	SP	Type approval
99H60879	22.06.1999	SP	Type approval
NET6706TE01	26.05.2010	NET	Technical evaluation, 20 l
NET67T04	25.01.2018	NET	Type test, S2
NET67TE09	25.09.2018	NET	Technical evaluation, C p S2
NET6706A3	15.08.2019	NET	Additional test HZB side
NET67TE15	18.09.2020	NET	Technical evaluation, S2/HZB

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



PORSGRUNN, NORWAY

18.09.2020 CERTIFICATE IS VALID UNTIL:

31.10.2025


 Geir Morten Johansen
 Certification Officer



 Rune Madsen Fink
 Control Officer

Nordisk Emballasje Testing AS Certification