



**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET8503A**

HOLDER OF CERTIFICATE:
Destructor Recycling AB

960 kg max



RESPONSIBLE DISTRIBUTOR: Destructor Recycling AB, Ravingatan4, 44735 Vårgårda, Sweden

MARKING ON PACKAGING:  **50A/Y/MMYY/N/NET8503A - ID/1728/480**
"MMYY" to be replaced with the month and year (last two digits) of manufacture.
"ID" to be replaced by the name or symbol of the manufacturer.
The packaging shall also be appropriately marked in accordance with ADR 6.6.3.3.1.

PRODUCT:

Packaging code	Description	Drawing	Material
50A	Steel, large packaging	173.002	Steel



DIMENSIONS:

Volume, l	Height, mm	Width, mm	Length, mm
686	980	820	1225

CLOSING MECHANISM:

Closure type	Description	Drawings	Material
Lid	Perforated plate, 2 mm	173.002	Steel

OTHER PARTS:

Type	Description	Drawing	Material
Removable, side walls	Galvanized plate, 1.5 mm	173.002	Steel
Removable bottom	Galvanized plate, 2 mm	173.002	Steel

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

APPROVAL IS VALID FOR:

Packaging group II and III, as long as the content not adversely affect the packaing materials.

Content	Stacking load, kg	Max. gross weight, kg	Packaging instruction
Solid substances	1728	480	Applicable UN-code
UN3090, UN3091	1728	480	LP903/LP904
UN3480, UN3481	1728	480	LP903/LP904
UN3268	1728	480	LP902

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
94H12028	24.02.1994	SP	Type approval
F412801	21.06.2004	SP	Technical evaluation
P601678	03.05.2006	SP	Technical evaluation
P800982	02.06.2008	SP	Technical evaluation
5P05881	22.06.2015	SP	Technical evaluation
NET85TE02	13.10.2017	NET	Technical evaluation

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495 and ISO13274.



PORSGRUNN, NORWAY

23.10.2017 CERTIFICATE IS VALID UNTIL:

15.12.2022


Geir Morten Johansen
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification

