




**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET6703B**


HOLDER OF CERTIFICATE:
Emballator Ulricehamns Bleck AB

MANUFACTURER: Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52321
Ulricehamn, Sweden

MARKING ON PACKAGING:  **1A2/YKG/S/YR/N/NET6703B - ID**
"KG" to be replaced by maximum gross weight.
"YR" to be replaced with the two last digits of the year.
"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Material
1A2, steel drum, removable head	UN-pail 285 mm with two beads.	Steel sheet TS 275 (T57)



DIMENSIONS:

#: Volume, l	Height, mm	Diameter, mm	Head / Body / Bottom, mm	Drawing
1: 25	457	285	0.42 / 0.36 / 0.36	6660-02, 151006
2: 20	369	285	0.42 / 0.36 / 0.36	6658-02, 150615
3: 15	291	285	0.42 / 0.36 / 0.36	6656-02, 151112
4: 12	234	285	0.42 / 0.36 / 0.36	6654-02, 151112
5: 10	212	285	0.42 / 0.36 / 0.36	6652-01, 100707

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material	Gasket
1: Ring-latch lid	Emaballator Ulricehamns Bleck AB	66242-01, 131029	Steel sheet	PVC
2: Ring-latch 285	-	100389, 110609	Steel	-


APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials in accordance with table below. The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

Content	Max. gross weight, kg	Packaging #
Solid substances	40	1
Solid substances	32	2
Solid substances	24	3
Solid substances	19	4
Solid substances	16	5

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
96H60037A	29.02.1996	SP	Type approval
F311309	16.06.2003	SP	Type approval and technical evaluation
P503764A	25.10.2005	SP	Type approval
NET67TE05	16.11.2015	NET	Technical evaluation

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



BREVIK, NORWAY

19.11.2020

CERTIFICATE IS VALID UNTIL:

30.11.2025



Geir Morten Johansen
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification