



# PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET3252C

HOLDER OF CERTIFICATE:  
**DS Smith Packaging Sweden AB**

**MANUFACTURER:**

DS Smith Packaging Sweden AB, Bangårdsgatan 2-4, SE-331 26  
Värnamo, SWEDEN

**MARKING ON PACKAGING:**


 **4G/Y25/S/YR/N/NET3252C - ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

**PRODUCT:**

Packaging code	Description	Material
4G, fibreboard box	Fefco 0201	Details in report




**DIMENSIONS:**

#: Volume, litre	Lenght, mm	Width, mm	Heigth, mm	Drawing
1: 31.2	366	287	300	M102728
2: 16.1	365	285	155	M18915

### CLOSING MECHANISM:

#: Closure type	Producer	Dimensions, mm	Material
1: Tape; double "U"- pattern, 50 mm over edge	Tesa 4124	0.07 * 50	PVC
2: Staples, 32/18 or Roll D, 20 pc	Josef Kihlberg	32.1*18*0.9*1.9	Steel
3: Tape; "U"- pattern, 50 mm over edge	Etab 810	0.11 * 50	PP reinforced with cross weave glass fibre



### INNERPACKAGING/ INTERIOR:

#: Type	Producer	Dimensions, mm	Material
1: Plastic bag, VCI2000 Anti Corrosion	Active pack GmbH	810 * 420 * 0.03	LLDPE, details in report
2: Cell divider, 3*4	DS Smith	359 * 277 * 293	Fibreboard, details in report
3: PET layer	Nycopac AB	336 * 276 * 40	PET, details in report



### APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

### REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

### APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III, and shall always be used according to the requirements of the applicable UN-code and its packaging instructions. The content may not adversely affect the packaging material.

Content	Max. gross weight, kg	Packaging #	Closing mechanism #	Inner packaging / Interior #
UN3268, standing generators, 3*4 pc	25.0	1	1 & 2	1 & 2
Solid, in plastic bag	25.0	1	1 & 2	1
UN3268, horizontal generators, 5 pc on each sheet, 3 layers	25.0	2	3	3

### DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET3252A	20.12.2012	NET	Type approval, #1
NET3252A2	31.05.2016	NET	Type approval, #2
NET32TE52	09.12.2020	NET	Technical Evaluation, mat

### TEST STANDARD:

All tests performed by NET, are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



BREVIK, NORGE

10.12.2020 CERTIFICATE IS VALID UNTIL:

31.12.2025

A handwritten signature in blue ink, reading 'Geir M. Johansen'.

Geir Morten Johansen  
Certification Officer

A handwritten signature in blue ink, reading 'Rune Madsen Fink'.

Rune Madsen Fink  
Control Officer

Nordisk Emballasje Testing AS Certification

A large, faint, light blue background logo in the center of the page, resembling a stylized umbrella or a shield with a cross-like shape in the middle.