



**PRODUCT APPROVAL OF SAFETY TOOLS
CERTIFICATE NO.: NET567.2 - SLF01**

HOLDER OF CERTIFICATE:

H.M. Albretsen Verktøysikring AS, Norway

The product is modified for work at height by: H.M. Albretsen Verktøysikring AS (HMA)

TOOL SUPPLIER: Bahco

MARKING ON PRODUCT: NET567.2 - YEAR/ID, Max drop height 2 m.



PRODUCT:

Art.no	Description	Producer	Material
SLF2700/VS133SG27	Open striking box wrench 27 mm	Bahco	Steel
SLF3000/VS133SG30	Open striking box wrench 30 mm	Bahco	Steel
SLF3200/VS133SG32	Open striking box wrench 32 mm	Bahco	Steel
SLF3600/VS133SG36	Open striking box wrench 36 mm	Bahco	Steel
SLF4100/VS133SG41	Open striking box wrench 41 mm	Bahco	Steel
SLF4600/VS133SG46	Open striking box wrench 46 mm	Bahco	Steel
SLF5000/VS133SG50	Open striking box wrench 50 mm	Bahco	Steel
SLF5500/VS133SG55	Open striking box wrench 55 mm	Bahco	Steel
SLF6000/VS133SG60	Open striking box wrench 60 mm	Bahco	Steel
SLF6500/VS133SG65	Open striking box wrench 65 mm	Bahco	Steel
SLF7000/VS133SG70	Open striking box wrench 70 mm	Bahco	Steel

SLF7500/VS133SG75	Open striking box wrench 75 mm	Bahco	Steel
SLF8000/VS133SG80	Open striking box wrench 80 mm	Bahco	Steel
SLF8500/VS133SG85	Open striking box wrench 85 mm	Bahco	Steel
SLF9000/VS133SG90	Open striking box wrench 90 mm	Bahco	Steel
SLF9500/VS133SG95	Open striking box wrench 95 mm	Bahco	Steel
SLF1000/VS133SG100	Open striking box wrench 100 mm	Bahco	Steel
SLF1005/VS133SG105	Open striking box wrench 105 mm	Bahco	Steel

DIMENSIONS:

Art.no	Total weight (g)	Length (mm)
SLF2700/VS133SG27	335	180
SLF3000/VS133SG30	460	190
SLF3200/VS133SG32	470	190
SLF3600/VS133SG36	730	215
SLF4100/VS133SG41	1015	235
SLF4600/VS133SG46	1365	255
SLF5000/VS133SG50	1650	275
SLF5500/VS133SG55	2025	300
SLF6000/VS133SG60	2585	320
SLF6500/VS133SG65	3595	342
SLF7000/VS133SG70	4345	375
SLF7500/VS133SG75	5085	375
SLF8000/VS133SG80	5915	408
SLF8500/VS133SG85	6060	408
SLF9000/VS133SG90	8340	445
SLF9500/VS133SG95	8480	445
SLF1000/VS133SG100	11750	485
SLF1005/VS133SG105	11750	485

ATTACH DEVICE SLF2700 - SLF3600:

Parts	Dimension	Material
Mounting Hoop	3 x 98 mm	Steel
Screw	5 x 35 mm	Steel
Nut	5 mm	Steel
Discs	4 pc 5 mm	Steel

ATTACH DEVICE SLF4100 - SLF5500:

Parts	Dimension	Material
Mounting Hoop	3 x 135 mm	Steel

Screw	6 x 30 mm	Steel
Welded nut	6 mm	Steel
Discs	4 pc 6 mm	Steel

ATTACH DEVICE SLF6000 - SLF8000:

Parts	Dimension	Material
Shackle 316 long	3 x 135 mm	Acid proof steel
Bolt	8 mm	Acid proof steel
Discs	2 pc 8 mm	Acid proof steel

ATTACH DEVICE SLF8500 - SLF9000:

Parts	Dimension	Material
Shackle 316 long	10 x 250 mm	Acid proof steel
Bolt	10 mm	Acid proof steel
Discs	2 pc 10 mm	Acid proof steel

ATTACH DEVICE SLF9500 - SLF1005:

Parts	Dimension	Material
Shackle 316 long	12 x 250 mm	Acid proof steel
Bolt	12 mm	Acid proof steel
Discs	2 pc 12 mm	Acid proof steel

APPROVAL IS VALID FOR:

Max drop height (m)	Test drop height (m)
2.0	4.0

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET567.2 - SLF01	24.09.13	NET	Type testing

TEST STANDARD: NET/ATM-006

TEST LABORATORY: Nordisk Emballasje Testing AS, Norway

LERUM, SWEDEN

24.09.2018

CERTIFICATE IS VALID UNTIL:

30.09.2023



Susanne E. Dahlberg
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification