PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET3298C

HOLDER OF CERTIFICATE:

DS Smith Packaging Sweden AB

MANUFACTURER: DS Smith Packaging Sweden AB, Bangårdsgatan 2-4, SE-331 26 Värnamo, SWEDEN

MARKING ON PACKAGING:
Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 6 mm high. According to ADR P650 4. a diamond shaped mark with letters "UN3373" with minimum dimensions 50 * 50 mm, and the propper shipping name "BIOLOGICAL SUBSTANCE, CATEGORY B" with letters at least 6 mm shall be marked on the outer packaging adjacent to the diamond shaped mark.

(un) 4G/Y0.15/S/YR/N/NET3298C-ID

(un)	: The United Nations symbol
4G	: Fibreboard boxes, outer packaging
Y0.15	: Packaging group II and III, max gross mass in kg
S	: Intended for carriage of inner packagings, see content table
YR	: To be replaced with the year (last two digits) of manufacture
N	: Norway, the state authorizing the allocation of the mark
NET3298C - ID	: Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

PRODUCT:

Description/ Method of manufacture	Manufacturer´s joint	Material
FEFCO 0429, folder type	None	Corrugated fibreboard, single wall board, details in report



DIMENSIONS:

Volume, l	L*W*H, mm	Thickness, mm	Explosive approved	Pressure tested	Drawing
0.4	175*94*23	1.6	Yes	No	SD10295

NET Emballasje- og Produkttesting AS
Blekebakkvegen 45
N-3950 Brevik
Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

CLOSING MECHANISM:

#: Closure type
Self lock

INNER PACKAGING:

Type/ Description	Producer	Description
Safety-bag, leak-proof, Art.Nr. 64490	Süsse Labortechnik GmbH	Secondary packaging
Centrifuge tubes with attached cap, 2 ml	Eppendorf Tube	Primary receptacle
Vacutainer, CE 4 mL	BD Franklin	Primary receptacle
FLOQswabs, plastic tube, CE 0123	Copan Italia S.p.A.	Primary receptacle
FLOQswabs, plastic tube, CE 0123	Copan Italia S.p.A.	Primary receptacle
Microvette, 100 ml	SARSTEDT	Primary receptacle
Absorbent, sheet shaped as a bag	Undiclosed	-
Sheet of cardboard - N002, 0.35 mm	Undiclosed	-








NET Emballasje- og Produkttesting AS
Blekebakkvegen 45
N-3950 Brevik

Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com

VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E





LEGISLATION:
NET issues the certification on described product according to delegated authority from Norwegian NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.
NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.
NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:
UN Recommendations on the Transport of Dangerous Goods.
ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
RID, International Regulations on Transport of Dangerous Goods by Rail.
IMDG, International Maritime Dangerous Goods Code, for sea transport.
ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:
Prototype tests performed and approved according to the above regulations:
6.1.5.2.3 Preparation of packaging, relativ humidity
6.1.5.3 Drop test
6.1.5.6 Stacking test

APPROVAL IS VALID FOR:
The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction P650. It requires that the primary receptacle is capable of withstanding, without leakage, an internal pressure of 95 kPa.

Content	Max gross mass in packaging group II, kg
BIOLOGICAL SUBSTANCE, CATEGORY B	0.15

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET3298C1	25.06.22	NET	Type approval

NET Emballasje- og Produkttesting AS
Blekebakkvegen 45
N-3950 Brevik
Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

VALIDITY:
The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.
The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.

TEST STANDARD:
All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.

NORSK AKKREDITERING TEST 259

BREVIK, NORWAY **27.06.2022** CERTIFICATE IS VALID UNTIL: **30.06.2027**

Mathias Werner
Certification Officer

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification

NET Emballasje- og Produkttesting AS
Blekebakkvegen 45
N-3950 Brevik
Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E