PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET1909A

HOLDER OF CERTIFICATE:
Accon FDP ApS

MANUFACTURER: Accon FDP ApS, Baldersbuen 8, DK-2640 Hedehusene, Denmark

MARKING ON PACKAGING:
"YR" to be replaced with the two last digits of the year.
"ID" to be replaced with any identification as decided by the manufacturer.

(un) 1G/Y100/S/YR/N/NET1909A - ID

PRODUCT:

Packaging code	Description	Drawing	Material
1G, Fibreboard drum	with lid and bottom of MDF.	Type 2B-6. Top edge reinforced with galvanized steel band.	Kraftliner, details in report
1G, Fibreboard drum	with lid and bottom of MDF.	Type 2B-7. Top and bottom edge reinforced with galvanized steel band.	Kraftliner, details in report




DIMENSIONS:

#: Weight of drum, kg	Volume, l	Height outside, mm	Diameter inside, mm	Head / Body / Bottom, mm	Drawing
1: 3300 - 4400	55 - 100	550 - 860	400	10 / 2.2 / 10	Type 2B-6
2: 3600 - 4700	55 - 100	550 - 860	400	10 / 2.2 / 10	Type 2B-7

NET Emballasje- og Produkttesting AS
Blekebakkvegen 45
N-3950 Brevik
Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

CLOSING MECHANISM:

Closure type	Producer	Drawing	Material
Lid with lifting ring	Accon FDP ApS	Type 2B	MDF, 10 mm
Locking ring, lever arm and cotter pin	Accon FDP ApS	Clamp, C620 REV.0 - 400 mm	Galvanized steel: 1.2 mm / 0.6 mm


INNER PACKAGING:

PE plastic bag	Producer	Thickness at least, mm	Tear resistance at least, MD/TD, N	Seal strengt at least, N
Big enough to fold over the edge when filled, closed with a strip.	Any	0.04	76/557	14.0



LEGISLATION:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.
NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.
NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

NET Emballasje- og Produkttesting AS
Blekebakkvegen 45
N-3950 Brevik
Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

REGULATIONS BASED UPON FOR APPROVAL:
UN Recommendations on the Transport of Dangerous Goods.
ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
RID, International Regulations on Transport of Dangerous Goods by Rail.
IMDG, International Maritime Dangerous Goods Code, for sea transport.
ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

APPROVAL IS VALID FOR:
The packaging is valid for transport containing substances that do not adversely affect the packaging materials. The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content	Max. gross weight, kg	Packaging group
Solids in a plastic bag	100	II and III

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET1909A	07.02.2020	NET	Additional type testing
NET1903A	18.03.2015	NET	Type approval

TEST STANDARD:
All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.

NORSK AKKREDITERING TEST 259

PORSGRUNN, NORWAY **02.09.2021** CERTIFICATE IS VALID UNTIL: **31.08.2025**

Geir Morten Johansen
Certification Officer

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification

NET Emballasje- og Produkttesting AS
Blekebakkvegen 45
N-3950 Brevik
Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E