

TYPE APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET1804A


HOLDER OF CERTIFICATE:
Stora Enso Packaging AB

MANUFACTURER: Stora Enso Packaging AB, Klockarehemsvägen 6, 556 50 Jönköping, SWEDEN

MARKING ON PACKAGING:


Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

 **4G/YKG/S/YR/N/NET1804A**

-  : The United Nations symbol
- 4G : Fibreboard boxes
- YKG : Packaging group II and III, max gross mass in kg, see content table
- S : Intended for carriage of solids or inner packagings, see content table
- YR : To be replaced with the year (last two digits) of manufacture
- N : Norway, the state authorizing the allocation of the mark
- NET1804A : Identification of the packaging

PRODUCT:

Description/ Method of manufacture	Manufacturer 's joint	Material
FEFCO 0201, slottet type	Glued	Corrugated fibreboard, single wall board, details in report




DIMENSIONS:

Box #: Volume, l	L*W*H, mm	Explosive approved	Pressure tested	Drawing
39	390*390*259	No	Yes	Y22
33	390*390*221	No	Yes	Y19
25	350*280*255	No	Yes	Y12-1
11	270*185*220	No	Yes	Y7
22	435*195*265	No	Yes	Y18
15	435*195*178	No	Yes	Y12

CLOSING MECHANISM:

Tape	Producer	Material	Description
1-4: "U"-pattern, 50 mm	Tesa	4124 PVC	50*0.07 mm
5-6: "U"-pattern, 8 mm	Monta	351 Glassfibre adhesive tape	50*0.12 mm


INNER PACKAGING:

Type	Description	Material	Producer	Closing mechanism
Plastic jerrican	30 * 0.5 L	HE8253	Emballator Mellerud Plast AB	Emballator Växjö Plast AB
Plastic jerrican	36 * 0.5 L	HE8253	Emballator Mellerud Plast AB	Emballator Växjö Plast AB
Plastic jerrican	20 * 0.5 L	HE8253	Emballator Mellerud Plast AB	Emballator Växjö Plast AB
Plastic jerrican	12 * 0.5 L	HE8253	Emballator Mellerud Plast AB	Emballator Växjö Plast AB
Plastic jerrican	3 * 5 L	BL2571	Promens AS Kambo	Helsingborgs industriplast AB
Plastic jerrican	10 * 1 L	HE8253	Emballator Mellerud Plast AB	Emballator Växjö Plast AB

LEGISLATION:

The approval is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. This certificate is liable to withdrawal at any time, to ensure validation check the published version on the Internet (www.net17025.com/Sertifisering/UN_ADR/cid/30758/).

NET issues the certification on described product according to delegated authority from Norwegian NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 2023/4375 PRAX.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:
 6.1.5.2.3 Preparation of packaging, relativ humidity
 6.1.5.3 Drop test
 6.1.5.6 Stacking test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Box #: Content	Max gross weight, kg
1: Liquid substances in inner packaging	22
2: Liquid substances in inner packaging	19
3: Liquid substances in inner packaging	12
4: Liquid substances in inner packaging	7
5: Liquid substances in inner packaging	18
6: Liquid substances in inner packaging	12

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
P203455B	10.10.2002	SP	Type approval
P203455C	16.10.2002	SP	Type approval
97H60535	12.12.1997	SP	Technical evaluation
97H60360A	07.07.1997	SP	Type approval / technical evaluation
97H60360B	07.07.1997	SP	Type approval

VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in NS-EN ISO 16106:2020.

BREVIK, NORWAY

21.11.2024 CERTIFICATE IS VALID UNTIL:

30.06.2029



Mathias Werner
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification

