



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET8508A

HOLDER OF CERTIFICATE:
Destructor Recycling AB

RESPONSIBLE DISTRIBUTOR: Destructor Recycling AB, Verkstadgatan 4, 447 35
Vårgårda, SWEDEN

MARKING ON PACKAGING:  **50H/Y/MMY/N/NET8508B-ID/1620/300**

"MMYY" to be replaced with the month and year (last two digits) of manufacture.

"ID" to be replaced by the name or symbol of the manufacturer.

900 kg max



PRODUCT:

Packaging code	Description	Drawings	Material
50H, Plastics	Large packaging	6-11-00054227	HDPE

CLOSING MECHANISM:

Closure type	Producer	Drawings / Description	Material
Strapping band	Any	12 mm	PP
Lid	Details in report	Mega-Pack S 1800 Lid - 230615	HDPE

OTHER PARTS:

Type	Description	Drawing	Material
Interior EMB 2685	Details in report	007451 Rev 2	HDPE
Pallet	Details in report	Mega-Pack S 1800 Pallet - 230615	HDPE



DIMENSIONS:

Volume, l	Length, mm	Width, mm	Height, mm
1630.0	1820	1220	730

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

APPROVAL IS VALID FOR:

Max. gross weight of this large packaging is 300 kg.

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction. An exception is made from LP903 due to transport safety according to ADR 6.6.1.3.

Content	Packaging group
2 pc of Litium Ion Batteries, UN 3480, packed in accordance with the instruction of packaging ; EMB 2685, provided by the certificate holder.	II and III

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET8508A	11.07.2018	NET	Type approval
NET8508A3	29.11.2019	NET	Additional type test, Int.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001.

The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



PORSGRUNN, NORWAY

05.12.2019 CERTIFICATE IS VALID UNTIL:

31.12.2024

A handwritten signature in blue ink, reading 'Geir M. Johansen'.

Geir Morten Johansen
Certification Officer

A handwritten signature in blue ink, reading 'Rune Madsen Fink'.

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification

A large, faint, light blue background logo in the center of the page, resembling a stylized umbrella or a shield with a cross-like shape in the middle.